..talogue of Indian Insects

..RT 7—Lasiocampidae

BY

BAINBRIGGE FLETCHER,

R.N., F.L.S., F.E.S., F.Z.S.,

Imperial Entomologist.

under the authority of the Government of India.

CALCUTTA: GOVERNMENT OF INDIA
CENTRAL PUBLICATION BRANCH
1925

Government of India Publications are obtainable from the Government of India Central Publication Branch, 8, Hastings Street, Calcutta, and from the following Agents :—

EUROPE.

OFFICE OF THE HIGH COMMISSIONER FOR INDIA,
42, GROSVENOR GARDENS, LONDON, S.W. 1.

Ernest Leroux, 28, Rue Bonaparte, Paris.
Martinus Nijhoff, The Hague, Holland.
Otto Harrassowitz, Leipzig.
Friedländer und Sohn, Berlin.
and all Booksellers in the United Kingdom.

INDIA AND CEYLON.

Provincial Book Depôts :

MADRAS.—Office of the Superintendent, Government Press, Mount Road, Madras.

BOMBAY.—Office of the Manager, Government Central Press, Bombay.

SIND.—Library attached to the Office of the Commissioner in Sind, Karachi.

BENGAL.—Office of the Bengal Secretariat Book Depôt, Writers' Buildings, Room No. 1, Ground Floor, Calcutta.

UNITED PROVINCES OF AGRA AND OUDH.—Office of the Superintendent of Government Press, United Provinces of Agra and Oudh, Allahabad.

PUNJAB.—Office of the Government of Punjab, Lahore.

BURMA.—Office of the Superintendent, Government Printing, Burma, Rangoon.

CENTRAL PROVINCES AND BERAR.—Office of the Central Provinces Secretariat, Nagpur.

ASSAM.—Office of the Superintendent, Assam Secretariat Press.

BIHAR AND ORISSA.—Office of the Superintendent, Government Printing, Bihar and Orissa, P.O. Gulzarbagh, Patna.

COORG.—Office of the Chief Commissioner of Coorg, Bangalore.

NORTH-WEST FRONTIER PROVINCE.—Government Press, Peshawar.

Thacker, Spink & Co., Calcutta and Simla.
W. Newman & Co., Ltd., Calcutta.
R. Cambray & Co., Calcutta.
S. K. Lahiri & Co., Calcutta.
The Indian School Supply Depôt, 309, Bow Bazar Street, Calcutta, and 226, Nawabpur, Dacca.
[illegible] India), Ltd., Calcutta.
[illegible] & Sons, 40-24, [illegible] India.
[illegible] 17, Park Street, [illegible]
[illegible] Company, Limited, [illegible]
Association Press, Calcutta.
[illegible] & Co., Ltd., 15, [illegible] Street.
[illegible] Madras.
[illegible] Madras.
[illegible] seller, West Tower [illegible]
Thacker & Co., Ltd., Bombay.
D. B. Taraporevala, Sons & Co., Bombay.
Sunder Pandurang, Bombay.
Ram Chandra Govind & Sons, Kalbadevi, Bombay.
N. M. Tripathi & Co., Booksellers, Princess Street, Kalbadevi Road, Bombay.
Proprietor, New Kitabkhana, Poona.
The Manager, Oriental Book Supplying Agency, 15, Shukrawar, Poona City.
R. S. Gondhalekar's Book Depôt, Publisher and Bookseller, Budhwar Chowk, Poona City.
Managing Director, Co-operative Booksteall, Booksellers and Publishers, Poona City.
The Standard Booksteall, Karachi, Rawalpindi, Murree, Lahore, Peshawar and Quetta.
The Book Company, Calcutta.
Burma Book Club, Ltd., Rangoon.
Karsandas Narandas & Sons, Surat.
A. H. Wheeler & Co., Allahabad, Calcutta and Bombay.
N. B. Mathur, Supdt., Nazir Kanun Hind Press, Allahabad.
The North India Christian Tract and Book Society, 18, Clive Road, Allahabad.
Ram Dayal Agarwala, 184, Katra, Allahabad.
Manager, Newal Kishore Press, Lucknow.
The Upper India Publishing House, Ltd., 41, Aminabad Park, Lucknow.
Munshi Seetla Ram, Managing Proprietor, Indian Army Book Depôt, Juhi, Cawnpore.
Rai Sahib M. Gulab Singh & Sons, Mufid-i-Am Press, Lahore and Allahabad.
Rama Krishna & Sons, Booksellers, Anarkali, Lahore.
Puri Brothers, Booksellers and Publishers, [illegible] Depôt, 63, [illegible] Street, Delhi.
Oxford [illegible] Company, [illegible]
Supdt., American Baptist Mission Press, [illegible]
[illegible] Rangoon.
[illegible] Ltd., 90, [illegible]
[illegible] Depôt, [illegible] Road.
Manager the "Hitavada," Nagpur.
S. C. Talukdar, Proprietor, Students & Co., Cooch Behar.
Times of Ceylon Co., Ltd.
The Manager, Ceylon Observer, Colombo.
The Manager, The Indian Book Shop, Benares City.
B. C. Basak, Esq., Proprietor, Albert Library, Dacca.

Catalogue of Indian Insects

LASIOCAMPIDÆ.

1. Bhima, Moore (1888).

Bhima, Mo., P. Z. S., 1888, 403-404; Hmpsn., F. I. Moths I 404 (1892) [redescr.]; Grünberg, Seitz Lep. Pal. II, 177 (1911) [redescr.]	Type:—*undulosa*, Wlk

undulosa, Walker.

Pœcilocampa undulosa, Wlk., Cat. VI, 1477 (1855) [1] ♀	Kangra [2 3 6 8]
	Nepal [1 2]
Bhima undulosa, Mo P. Z. S. 1888 404 (1888)[2]; Hmpsn, F. I. Moths I 404, f. 279 (1892)[3]; Swinh, T. E S. 1895. 27 (1895)[4], Dudgeon, B. J., XIII. 406 (1901)[5]; Grünberg, Seitz Lep. Pal, II, 178 (1911)[6]; Turner, T. E S., 1918, p. 180, f. 46 [neuration][7]; Grünberg, Seitz Lep. Indo-austral, II, 393, t 34*a* (1923) [redescr.].[8]	Sikkim.[5]
	Darjiling.
	Khasis [8]
	Cherrapunji.[2 4]
	Manipur.[8]
	South Asia.[8]
Larva, shortly descr.[2]	Sunda Isds.[8]

2. Taragama, Moore (1859).

Taragama, Mo., Cat. Lep. E. I. Co., p. 427 (1859), Mo., Lep Ceylon II 147 (1883), Hmpsn., F. I Moths I, 404 (1892) [redescr.]; Grunberg, Seitz Lep. Pal. II 175 (1911) [redescr.]; *id*, Seitz Lep Indo-austral II 393 (1923).	Type:—*siva*, Lef.

dorsalis, Walker.

Megasoma dorsalis, Wlk, Cat XXXV 1947-1948 (1866) [1] ♂	N.-W Himalaya [1 13]
	Kangra.[5 6 11]
Taragama igniflua, Mo., Lep. Ceylon II 147, t. 142 ff. 2, 2*a* (1883).[2] ♂ ♀	Khatmandu (Nepal).
	Sikkim (1 800 ft.).[9]
Taragama hyperantheræ Mo., P. Z. S. 1883, 18, t. 5 f. 5 (1383)[3] ♂	Calcutta.[3 7]
	Bengal.[4]

[illegible], Mo., P. Z. S. 1883. 18, [illegible][8]	South India[7]
	Ceylon.[2 7 12 13]
[illegible] *[illegible]*, Mo., P. Z. S. [illegible] 104 105 (1888)[8], Butl., Ill. Het. [illegible] 124 f. 1 (1890)[6]	Kandy.[5]
	Pundaluoya.[8]
T[illegible] [illegible], Hmpsn., F. I. Moths. I. [illegible] (1892); Hmpsn., Ill. Het. IX. 9 (1896); Dudgeon, B. J. XIII 496 (1900)[9]; Hmpsn., B. J. XVI 197 (1906)[10], Grunberg, Seitz Lep. Pal. II 177 [illegible] (1911)[11]; Rutherford, Trop. Agric. XLIII 129 130 (Aug. 1914)[12]; Grunberg, Seitz Lep. Indo-Austral. II [illegible] (1923)[13]	Java.[7]
	Sunda Isds.[13]
	Borneo.[1 7]
	Philippines.[7 13]
Larva described[10], on *[illegible]* spp.[10], [illegible] to *Lagerstroemia* in Ceylon[12], on *Hopea parviflora*.[8]	

[illegible]ava, Lefebvre.

[illegible] [illegible], Lef., Zool. Journ. III 210 (1827).[1]	Throughout India.
	Burma.[10]
[illegible] [illegible], Lef., Zool. Journ. III 211 (1827), [illegible]: Mo., Cat. Lep. E. I. Co. II, t. 32 ff. 1, 1[a] (1859).[3]	
M[illegible] [illegible], Wlk., Cat. VI 1449 ([illegible])[5] +	
M[illegible] [illegible], Wlk., Cat. VI 1450 ([illegible])[5]	
M[illegible] [illegible], Wlk., Cat. VI 1450 ([illegible])[7]	
T[illegible] [illegible], Hmpsn., F. I. Moths I [illegible] (1892), Grunberg, Seitz Lep. Pal. II 177 (1911)[9]; Fletcher, Pusa Bull. [illegible], pp. 68-71, f. 40 (1919)[9]; Grunberg, Seitz, Lep. Indo-austral. II 361, t. 34 f. [illegible] [male] (1923) [illegible][13]; Lefroy, Ind. Ins. Life, p. 497, f. 11 ff. 9-11 (1909).[11]	
Larva described[2 7 8 11], on *Tamarix gallica*[7], *Murraya exotica*[9], *Polyalthia longifolia*[9] *rosa*[9] *Acacia arabica*[7] *Zizyphus jujuba*.[8]	

3. **Suana, Walker** (1855).

ana, Wlk., Cat. VI 1502 (1855); Mo., Lep. Ceylon II 151 (1883); Hmpsn., F. I. Moths I. 406 (1892) [redescr.]; Grünberg, Seitz Lep. Pal. II 178 (1911) [redescr.].

Type:—*concolor*, Wlk.

ncolor, Walker.

Lebeda concolor, Wlk., Cat. VI 1463 (1855)[1]
Lebeda bimaculata, Wlk., Cat. VI 1463 (1855)[2]
Suana ampla, Wlk., Cat. VI 1502 (1855).[3]
Suana cervina, Mo., P. Z. S. 1879 410 (1879)[4]; Mo., Lep. Ceylon II 152, t. 139 ff. 2, 2ᵃ (1883).[5]
Suana bimaculata, Mo., Cat. Lep. E. I. Co. II 428, t. 13ᵉ, ff. 2, 2ᵉ (1859)[6]; Mo., Lep. Ceylon II 152, t. 140 ff. 1, 1ᵃ, 1ᵇ [larva] (1883)[7]; Butl., Ill. Het. VI 2, t. 101 ff. 3, 4 (1886).[8]
Suana concolor, Hmpsn., F. I. Moths I 406-407, f. 281 [male], f. 278 [larva] (1892) [redescr.][9]; Hmpsn., Ill. Het. IX 9 (1893)[10]; Swinh., T. E. S. 1895 27 (1895)[11]; Dudgeon, B. J. XIII 406 (1901)[12]; Grünberg, Seitz Lep. Pal. II 178, t. 29c (1911)[13]; White, Spol. Zeyl. XI 299-302, tab. (1920)[14]; Grünberg, Seitz Lep. Indo-austral. II 393 (1923)[15]

Larva descr.[7 9 13 14], on *Careya arborea*[7], *Psidium guyava*[14], *Cajanus indicus*[14], *Hibiscus rosa-sinensis*[14], *Shorea robusta*[14], "*Damuniya*" (?=*Grewia tiliæfolia*)[14], occasionally on tea.[14] Biology.[14]

Throughout India.[9]
Kashmir.[13]
Sikkim.[13]
Bhutan.[13]
Sylhet[1 2 3]
Shillong.[11]
Cherrapunji.[11]
Pollibetta (Coorg).
Shembaganur (Palk 6,000 ft.).
Ceylon[4 5 7 9 13 14]
Kandy[10]
Matale.[14]
Nawalapitiya.[10]
Ramboda.[10]

Sumatra.[15]
Java.[1 9 15 3]
Philippines.[1 9 15]

4. **Paralebeda, Aurivillius** (1894).

ralebeda, Auriv., Deuts. ent. Zeitschr., Lep. VII 178 (1894); Grünberg, Seitz Lep. Pal. I 174-175 (1911) [redescr.]; *id.*, Seitz Lep. ndo-austral. II 393 (1923).

Type:—*plagifera*, Wl

[*nec Paralebeda*, Hmp., A. M. N. H. (8) VI 119 (1910) (Teragridæ).]

plagifera, Walker.

Lebeda plagifera, Wlk., Cat. VI 1459-1460 (1855).[1]	N.-W. Himalaya
Opsirhina crinodes, Felder, Reise Novara, Lep. IV, t. 84 f. 3 (1874).[2]	Simla.[4] Nepal.[1 2 3]
[*Odoncstis plagifera*, Butl., Ill. Het. V 33, t. 99 f. 5 (1881)[3]; Hmpsn., F. I. Moths I 427 (1892) [redescr.][4]; Swinh., T. E. S. 1895 28 (1895)[5]; Dudgeon, B. J. XIII 411 (1901).[6]	Khatmandu. Sikkim (2,000-3 Darjiling. Cherrapunji.[5]
Paralebeda plagifera, Grünberg, Seitz Lep. Pal. II 175, t. 30*d* (1911)[7], *id.*, Seitz Lep. Indo-austral. II 393 (1923).[8]	Java.[1 2] Guiana[8] [error

5. Lebeda, Walker (1855).

Lebeda, Wlk., Cat. VI 1453 (1855); Mo., Lep. Ceylon II 150 (1883), Hmpsn., F. I. Moths I 407 (1892) [redescr.]; Grünberg, Seitz Lep. Pal. II 174 (1911) [redescr.]; *id.*, Lep. Indo-Austral. II 392 (1923) [redescr.].	Type :—*nobilis*

nobilis, Walker.

Lebeda nobilis, Wlk., Cat. VI 1456 (1855)[1]; Butl., Ill. Het. V 74, t. 100 ff. 5, 6 (1881)[2], Hmpsn., F. I. Moths I 407-408, f. 282 (1892) [redescr.][3]; Swinh., T. E. S. 1895 27 (1895)[4]; Dudgeon, B. J. XIII 406 (1901)[5]; Grünberg, Seitz Lep. Pal. II 174, t. 30*c* (1911) [redescr.][6]; *id.*, Lep. Indo-austral. II 392 (1923).[7]	Kashmir.[6] Kangra.[5] Simla. Masuri. Nepal.[1 3] E. Himalaya.[3] Sikkim.[5] Bhutan.[5] Sylhet.[1 3 6] Shillong. Cherrapunji.[4] Nagas.[3 6]

6. Dendrolimus, Germar (1812).

Dendrolimus, Germ., Syst. Gloss. Prodr., p. 48 (1812); Curt., Brit. Ent. I, t. 4 (1824); Kirby, Cat. Het I 813 (1892); Leech, T. E. S. 1899 109; Grünberg, Seitz Lep. Pal. II 171 (1911) [redescr.]; *id.*, Lep. Indo-austral. II 405 (1923) [sep. from *Metanastria*].	Type:—*pini*, Linn. [Europe; N. Asia.
Metanastria, Hubner, Verz. p. 186 (1822); Hmpsn., F. I Moths I 408 (1892) [redescr.], Grunberg, Seitz Lep. Indo-austral II 394 (1923) [redescr.].	Type: *hyrtaca*, Cr.
Eutricha, Stephens, Ill. Brit. Ent., Haust. II 50 (1828); Wlk., Cat. VI 1405 (1855).	Type: *pini*, Linn.
Œona, Walker, Cat. VI 1417 (1855).	Type: *punctata*, Wlk. [China].
Chatra, Moore, Lep. Atk. p. 80 (1879).	Type: [*latipennis*, Wlk. =] *grisea*, Mo.

aconyta, Cramer.

Bombyx aconyta, Cram, Pap. Exot. II, t. 131A (1777).[1]	Sikkim.[8] Darjiling.[11]
Bombyx quadricincta, Fabr., Mantissa II 111 (1787).[2]	Bengal.[3 11 4] Cherrapunji.[9]
Dirphia? aconyta, Wlk., Cat. VI 1370 (1855).[3]	Kanara.[8 11] Coromandel.[3]
Lasiocampa trifascia, Wlk., Cat. VI 1439 (1855).[4]	
Lasiocampa substrigosa, Wlk., Cat. VI 1441 (1855).[5]	
Lebeda opponens, Wlk., Cat. VI 1462 (1855).[6]	
Lasiocampa subparalletla, Wlk., Cat. XXXII 562 (1865).[7]	
Metanastria aconyta, Hmpsn., F. I Moths I 408-409 (1892) [redescr.][8]; Swinh., T. E. S. 1895, 27 (1895)[9]; Dudgeon, B. J. XIII 407 (1901) [not found in Sikkim][10]; Grünberg, Seitz Lep Indo-austr. II 395, t. 34 f. *c* [female] (1923) [redescr.][11]	

ampla, Walker.

Odenestis ampla, Wlk., Cat. VI 1112 (1855).[1]	Kangra.[6]
Lebeda ferruginea, Wlk., Cat. VI 1458 (1855).[2]	Sikkim.[4 6] Bhutan.[8]
Lebeda ampla, Butl., Ill Het. V 72, t. 99 ff. 3, 4 (1881)[3]	Khasis.[5] Shillong.
Metanastria ampla, Hmpsn., F. I Moths I 410 (1892) [redescr.][4]; Swinh., T. E. S. 1895 27 (1895)[5]; Dudgeon, B. J. XIII 407 (1901)[6]; Grünberg, Seitz Lep. Indo-austr. II 395, t. 34 f. *c* [male] (1923)[7]	Sylhet.[1 2 4] Burma.[6] Sumatra.[7] Java.[5 7] Philippines.[4 7]
Larva on *Artemisia*.[6]	

fia, Swinhoe.

Lenodora fia, Swinh., A. M. N. H. (7) III 113 (1899)[1]; Hmpsn., B. J. XIII 233, t. B ff. 17, 18 (1900) [redescr.][2]; Grünberg, Seitz Lep. Indo-austr. II 404, t. 33 f. *g* [female], t. 46 f. *b* [male] (1923) [redescr.].	Kashmir.[1 2 3]

fulgens, Moore.

Lebeda fulgens, Mo., Lep. Atk. p. 81 (1879).[1]	Darjiling.[1 3] Sikkim.[2—4]
Metanastria fulgens, Hmpsn., F. I. Moths I. 409 (1892) [redescr.][2]; Dudgeon, B. J. XIII 407 (1901)[3]; Grünberg, Seitz Lep. Indo-austr. II 195, t. 34 f. *b* (1923) [redescr.].	Bhutan (6,400

hyrtaca, Cramer.

Bombyx hyrtaca, Cram., Pap. Exot. III, t 249 F (1780).[1]	Dharmsala.[9] E. Himalaya.
Bombyx lusca, Fabr., Mantissa II 112 (1787).[2]	Kalimpong.[12] Pusa
Bombyx laricis, Hübner, Beytr. Schm. II (*ii*) p. 48, t. 3 f. O, II (*iii*) p. 67, t. 2 f. M (1791).[3]	Calcutta. Assam.[11] Bombay.[11]

Bombyx brahma, Lef., Zool. Journ. III 208 (1827).[6]	Mhow.[7 11] Balaghat (C. P.).
Bombyx buddha, Lef., Zool. Journ. III 209 (1827)[5]; Mo., Cat. Lep. E. I. Co., t. 12*a* ff. 2, 2*a*[6]; Forsyth, T. E. S. 1881, 197, t. 15 ff. 3, 3*a*, 3*b* [larva].[7]	Ganjam.[12] Madras.[11] Trivandrum.[15] Ceylon.[8 10 11 16]
Lebeda plagiata, Wlk., Cat. VI 1464 (1855).[5]	Colombo.[12] Kandy.[12]
Lebeda monobiae, Mo., P. Z. S. 1879, 410, t. 3*e* f. 3 (1879).[2]	Rangoon.
Metanastria hyrtaca, Mo., Lep. Ceylon II 148, t. 124 ff. 1, 1*a*, 1*b* (1883)[12]; Hampsn., F. I. Moths I 410-411, f. 283 (1893) [reference],[14], Hampsn., Ill. Het. IX 9 (1893)[12], Elwes, B. J. XIII 407 (1900)[13], Grünberg, Seitz Lep. Pal. II 177, t. 29 f. *a* (1911) [*Taragama*][14]; Fletcher, Pusa Bull. 59, p. 25, f. 11 (1919) [larva and cocoons specimen][20], Grunberg, Seitz Lep. Indo-austr. II 395, t. 34 ff. *e* (1923)[16]; Lefroy, Ind. Ins. Life, p. 497, ff. 332, 333 (1909)[17], Fletcher, S. Ind. Ins. pp. 409-410, f. 282 (1911)[18], *id.*, Rept. Second Entl. Meeting, pp. 38, 249 (1917)[19]; *id.*, Rept. Third Entl. Meeting, p. 103 (1919)[20]	Sunda Isds.[16] China.[16]
Larva doser.[10 11 14 18], on *Schima wallichii*[13], *Eugenia jambolana*[16], *Acacia arabica*[26], *Mimusops elengi*[18], *Terminalia catappa*[18], *Nyctanthes arbor-tristis*[18], *Albizzia stipulata*.[20]	

latipennis, Walker.

Lebeda latipennis, Wlk., Cat. VI 1457 (1855).[1]	Dharmsala.[7] Darjiling.[5 8]
Lebeda variegata, Mo., A. M. N. H. (4) XX 247 (1877)[2]; Mo., Lep. Ceylon II 151, t. 129 f. 1 (1883).[3]	Sikkim.[10 13] Khasis.[8] Shillong.
Chaira grisea, Mo., Lep. Atk. p. 80 (1879).[4]	Cherrapunji.[4 13] Calcutta.[10] [Perrer leg.]

Lebeda placida, Mo., Lep. Atk. pp. [illegible] (1879).[5] — [illegible] Indonesia.[11]

Lebeda vulpina, Mo., Lep. Atk. p. 81 (1879).[6] — Burma.[10 13]

Eutricha dicla, Mo., P. Z. S. [illegible] (1879).[7] — [illegible] Indonesia.[10 13]

Lebeda fuscata, Mo., T. E. S. [illegible] (1881).[8]

Odonestis latipennis, Butl., Ill. Het. V 72, t. 99, ff. 1, 2 (1881).[9]

Metanastria latipennis, Hampsn., F. I. Moths I. 409 (1892) [redescr.][1], Hmpsn., Ill. Het. IX 9 (1896)[14], Swinh., T. E. S. 1895 27 (1896)[1], Dudgeon, B. J. XIII [illegible] Grünberg, Seitz Lep. Indo-austr. II 395, t. 34 ff. 6, c (1923) [redescr.].[14]

Larva descr.[15]

Iidderdalii, Butler.

Lebeda Iidderdalii, Butl., Ill. Het. V 73, t. 100 ff. 1, 2 (1881).[1] — Darjiling.[2 3] Bhutan.[1 3 4 5]

Lebeda stigmata, Butl., Ill. Het. V 73, t. 100 ff. 3, 4 (1881).[2]

Metanastria Iidderdalii, Hmpsn. F. I. Moths I 410 (1892) [redescr.][3], Dudgeon, B. J. XIII 407 (1901)[4]; Grünberg, Seitz Lep. Indo-austr. II 395-396, t. 31 f. d (1923) [redescr.].[5]

lineata, Moore.

Lebeda lineata, Mo., Lep. Atk. p. 81 (1879).[1] — Darjiling.[2 6] Sikkim.[5 7]

Odonestis lineata, Hmpsn., F. I. Moths I 427-428 (1892) [redescr.].[2] — Kurseong. Cherrapunji.[2]

Metanastria fuscomarginata, Swinh., T. E. S. 1895 27-28, t. 1 f. 7 (1896)[7]; Hmpsn., F. I. Moths IV [illegible] (1896) [syn. of [illegible]][8]

Metanastria lineata, Dudgeon, B. J. XIII 408 (1901)[5], Grünberg, Seitz Lep. Indo-austr. II 396, t. 35 f. [illegible] (1923) [redescr.][6]

nanda, Moore.

Lebeda nanda, Mo., Cat. Lep. E. I. Co. II 423, t. 12*a* f. 3 (1859).[1]	Darjiling.[1] Sikkim.[2—6]
Metanastria nanda, Hmpsn., F. I. Moths I 409 (1892) [redescr.][2], Dudgeon, B. J. XIII 407 (1901)[3]; Grünberg, Seitz Lep. Indo-austr. II 395, t. 34 f. *b* (1923) [redescr.][4]	

obliquifascia, Swinhoe.

Metanastria obliquifascia, Swinh., Cat. Het. Mus. Oxon. I 263-264 (1892)[1], Hmpsn., F. I. Moths I 412 (1892) [redescr.][2]; Swinh., T. E. S. 1895 27 (1895)[4], Grünberg, Seitz Lep. Indo-austr. II 396 (1923) [redescr.].[4]	Darjiling.[1, 4] Sikkim.[2] Shillong.[3]

recta, Walker.

Lebeda recta, Wlk., Cat. VI 1461 (1855).[1]	N. India.[1, 2, 4, 5]
Metanastria recta, Hmpsn., F. I. Moths I 411 (1892) [redescr.][4]; Dudgeon, B. J. XIII 408 (1901) [female descr., probably of *repanda*][3]; Grünberg, Seitz Lep. Pal. II 177 1911 [*Teraqama*][4]; *id.*, Lep. Indo-austr. II 396, t. 34 f. *e* (1923) [redescr.].[5]	Sikkim.[3]

repanda, Walker.

Lebeda repanda, Wlk., Cat. VI 1460 (1855)[1], Butl., Ill. Het. VI 2, t. 101 ff. 1, 2 (1886).[2]	Nepal.[3] Darjiling distr. Sikkim (1,800 ft.).[5]
Metanastria repanda, Hmpsn., F. I. Moths I 411 (1892) [redescr.][4]; Swinh., T. E. S. 1895 27 (1895)[4], Dudgeon, B. J. XIII 407-408 (1901) [male descr., ♀ *repanda*][3]; Grunberg, Seitz Lep. Indo-austr. II 396, t. 33 f. *b* (1923) [redescr.].[5]	Assam.[3, 4] Khasis.[4] Sylhet.[1] Bassein.[3]

subpurpurea, Butler.

Dendrolimus [illegible] Ent. 1881 18 (1881)[1]	[illegible]
Odonestis dirt-mandi Grösser, Berl. Ent. Zeit. XXXII 128 ([illegible])[2]	Japan[2] Amur[2]
Metanastria rubra Hampsn., F. I. Moth. IV 186-187 (1893)[3], *id.*, B. J. XI 204 (1897) [syn. of *dirt-mandi*][4]	
Metanastria subpurpurea, Grünberg, Seitz Lep. Pal. II 161, t. 26 f. e (1911)[5]; *id.*, Lep. Indo-austr. II 398 (1923)[6]	

undans, Walker.

Lebeda undans, Wlk., Cat., VI, 145 (1859)[1]	Khasia[1]
Bombyx fasciatella, Ménétries, Bull. Acad. Petersb. XVII 218 (1859)[2], Schrenck, Amur Reisen, p. 55, t. 4, f. 8 (1859)[3]; Bremer, Lep. Ost. Sibir., p. 42 (1864)[4]; Fixsen, Rom. Mem. III 311 (1877)[5]	Sylhet[2] Moscow[3]
Odonestis excellens, Butl., A. M. N. H. (4) XX. 481 (1877)[6]; *id.*, Ill. Het. II 19, t. 26, ff. 4, 5 (1878).[7]	Japan[6] Korea[7] Amur[8]
Odonestis excellens var. *unicolor*, Oberthür, Et. Ent. V 38 (1881).[8]	Arbold Bel[9]
Metanastria undans, Hampsn., F. I. Moths I 410 (1892) [redescr.][9]; Swinh., T. E. S. 1895 27 (1895)[10]; Grunberg, Seitz Lep. Indo-austr. II 396, t. 34 f. d (1923) [redescr.][11]	
Dendrolimus undans, Leech, T. E. S. 1899 110 111 (1899)[12]; Grünberg, Seitz Lep. Pal. II 173 (1911).[13]	

vitta, Moore.

Odonestis vitta, Mo., Cat. Lep. E. I. Co. Mus. II 434, t. 12a f. 4, (1859)[1]; Kirby, Cat. Het. I 811 (1892) [*vitta*—*lepis*.][2]	Calcutta.[3] Sumatra.[4]
Metanastria vitta, Hampsn., B. J. XX 110 (1910) [redescr.].[5]	Java[1-4]

Arguda vitta, Grunberg, Seitz Lep. Indo-austr. II 399, t. 35 f *a* (1923) [redescr.][1]	Borneo.[3 4]

7. *Argada*, Moore (1879)

Argada, Moore, Lep. Atk., p. 79 (1879), Hmpsn., F. I. Moths I 412 (1892) [redescr.]; Grunberg, Seitz Lep. Fol. II 178-179 (1911) [redescr.]: *id.*, Lep. Indo-austr. II 398-399 (1923) [redescr.].	Type: *decurtata*, Mo.
Rathrea Mo., Lep. Atk., p. 79 (1879)	Type: *flavovittata*, Mo.

albigutta, Walker.

Opsirhina albigutta, Wlk., Cat. VI 1119-1120 (1857).[1]	Sabathu.[2]
Arguda albigutta, Hmpsn., F. I. Moths I 411 (1892) [redescr.][2]; Grunberg, Seitz Lep. Indo-austr. II 400, t. 35 f. *b* (1923) [redescr.].[2]	Australia.[2 3] Tasmania.[1 4]

bheroba, Moore.

Odontosia bheroba, Mo., Cat. Lep. E. I. Co Mus. II 124, t. 12*a* f. 5 (1859).[1]	Darjiling.[1] Sikkim.[4 3]
Arguda bheroba, Hmpsn., F. I. Moths I 413 (1892) [redescr.][2], Dudgeon, B. J. XIII 408 (1901) [variation][3]; Grunberg, Seitz Lep. Indo-austr. II 399, t. 32 f. *d* (1923) [redescr.].[1]	Ceylon.[2] Singapore.[2] Sunda Isds.[4] Alloy.[2] Philippines.[2]

Argada, *Lerosa*

Arguda lepsrosa Leech, T. E. S. 1899 116 (1899)[1], Grünberg, Seitz Lep. Indo-austr. II 400, t. 33 f. *c* (1923).[2]	Pu-tsu-long.[1 2] [E. Tibet border].

decurtata, Moore.

Argada decurtata, Mo., Lep. Atk. p. 79 (1879)[1]; Hmpsn., F. I. Moths I 414 (1892) [redescr.][2], Swinh., T. E. S. 1894 [illegible] (1895)[illegible], Dudgeon, B. J. XIII 408 (1901)[illegible], Grünberg, Seitz Lep. Indo-austr. II 400, t. 30 ff. *a* (1923) [redescr.].[2]	Darjiling.[1 5] Sikkim (1,800 ft.).[4] Cherrapunji.[3]

erectilinea, Swinhoe.

Arguda erectilinea, Swinh., T. E. S. 1904, 152 (1904)[1]; Grünberg, Seitz Lep. Indo-austr. II 399, t. 35 f. *a* [as *bheroba, ex errore*] (1923) [redescr.][4]	India.[2] Ceylon.[3] ——— Sunda Isl.[3] Philippines.[3]

flavovittata, Moore.

Radhica flavovittata, Mo., Lep. Ceyl. pl. 79-80 (1879).[1]	K. Lapur.[1] Darjiling.[1]
Arguda flavovittata, Hmpsn., F. I. Moths I 412-413, f. 281 (1892) [redescr.][2]; Grünberg, Seitz Lep. Pal. II 171, t. 26 f. *d* (1911)[3], *id.*, Lep. Indo-austr. II 399, t. 34 f. *e* (1923) [redescr.].[4]	Nilgiris.[1] Naini Tal.[1] Bhutan.[2]

rectilinea, Hampson.

Arguda rectilinea, Hmpsn., F. I. Moths I. 414 (1892)[1]; Grünberg, Seitz Lep. Indo-austr. II 400 (1923) [redescr.].[2]	Bassein (Burma).[1]

rosea, Hampson.

Radhica rosea, Hmpsn., Ill. Het. VIII 65, t. 144 f. 18 (1891).[1]	Nilgiris (6,000 ft.).[1]
Arguda rosea, Hmpsn., F. I. Moths I 413 (1892) [redescr.][2]; Grünberg, Seitz Lep. Indo-austr. II 399, t. 35 f. *a* (1923) [redescr.].[3]	

vinata, Moore.

Lebeda vinata, Mo., P. Z. S. 1865, 820 (1865).[1]	Darjiling.[1 2 3]
Arguda vinata, Hmpsn., F. I. Moths I 413-414 (1892) [redescr.][2]; Elwes, B. J. XIII 108 (1901)[3]; Grünberg, Seitz Lep. Indo-austr. II 399, t. 35 f. *b* (1923) [redescr.].[4]	

8. Syrastrena, Moore (1881).

Syrastrena, Mo., T. E. S. 1884, 373 (1881); Hmpsn., F. I. Moths I 414-415 (1892) [redescr.]; Grunberg Seitz Lep. Indo-austr. II 401 (1923) redescr.]. — Type: *minor*, Mo.

minor, Moore.

Metanastria minor, Mo., Lep. Atk. pp. 78-79 (1879)[1] — Darjiling[1] Sikkim (? low elevation).[2]

Syrastrena minor, Hmpsn., F. I. Moths I 415, f. 285 (1892) [redescr.][2]; Elwes, B. J. XIII 408 (1901)[3]. Grünberg, Seitz Lep. Indo-austr. II 401, t. 35 f. *b* (1923) [redescr.].[4]

9. Bharetta, Moore (1865).

Bharetta, Mo., P. Z. S. 1865, 820 (1865), Hmpsn., F. I. Moths I 415 (1892) [redescr.], Grünberg, Seitz Lep. Indo-austr. II 401 (1923) [redescr.]. — Type: *cinnamomea*, Mo.

cinnamomea, Moore.

Bharetta cinnamomea, Mo., P. Z. S. 1865, 820, t. 43 f. 6 (1865)[1]; Hmpsn., F. I. Moths I 415-416, f. 286 (1892) [redescr.][2]; Dudgeon, B. J. XIII 409 (1901)[3] Grünberg, Seitz Lep. Indo-austr. II 401, t. 35 f. *c* (1923) [redescr.].[4] — Darjiling.[1 2 4]

flammans, Hampson.

Bharetta flammans, Hmpsn., F. I. Moths I 416 (1892)[1], Grünberg, Seitz Lep. Indo-austr. II 401 (1923) [redescr.].[2] — Manipur (6,000 ft.).[1]

10. Odontocraspis, Swinhoe (1894).

Odontocraspis, Swinh., A. M. N. H. (6) XIV 439 (1894); Hmpsn., F. I. Moths IV 187, f. 258 (1896) [redescr.]; Grünberg, Seitz Lep. Indo-austr. II 401 (1923) [redescr.]. — Type: *hasora*, Swinh.

basora, Swinhoe.

Odontocampa basora Swinh., A. M. N. H. (6) XIV (1894)[1]; id., T. E. S. L. (1894) 28, t. 1 fig. 11, Ula (1895)[2]; Hampson F. I. Moths IV 457, t. 268 (1896) [redescr.][3]; Grunberg, Seitz Lep. Indo-austr. II 391, t. 55 f. e (1923) [redescr.][4]. — Burma.[1]

11. Chilena, Walker (1855)

Chilena, Wlk., Cat. V 1070-1071 (1855); Moore, Lep. Ceylon III 543 (1887); Hampson F. I. Moths I 116 (1892) [redescr.]; Grunberg, Seitz Lep. Indo-austr. II 402 (1923) [redescr.]. — Type species: *Chilena similis* Wlk.

similis, Walker.

Chilena similis, Wlk., Cat. V 1071 (1855)[1]; Hampson, F. I. Moths I 116 f. 287 (1892) [redescr.][2]; Grunberg, Seitz Lep. Indo-austr. II 402, t. 55 f. 3 (1923) [redescr.][3]. — Peshawar. Punjab.[2,3] Nepal.[1,2,3] Sikkim.

strigula, Walker.

Lasiocampa strigula, Wlk., Cat. XXXII 563 (1865)[1]; Pagenstecher, T. E. S. L. (1884) t. 14 ff. 4, 6a, 6b (1884)[2]. — Peshawar.[1] [illegible][2]

Chilena strigula, Hampsn., F. I. Moths I 417 (1892) [redescr.][3]; id., B. Moth IX 9 (1893)[4]; Grunberg, Seitz Lep. Indo-austr. II 402 (1923) [redescr.]. — [illegible] Khasis.[3,4] [illegible][2]

[?] *Chilena similis* [non Wlk.], Moore, Lep. Ceylon III 545, t. [illegible] f. 5 [illegible]. — Ceylon.[illegible] Travancore.[illegible]

Larva descr.[2,3,4], ex. alcoholic.[5]

12. Clisiocampa, Curtis (1828)

Clisiocampa, Curt., Brit. Ent. V. t. 229 (1828), Steph., Ill. Brit. Ent., Haust. II 18 (1829); Wlk., Cat. VI 1485 (1855); Kirby, Cat. Het. I 838 (1892), Hmpsn., F. I. Moths I 417 (1892) [redescr.].	Type: *castrensis*, Linn. [Europe].
Malacosoma [nec Hb.], Grunberg, Seitz Lep. Pal. II 150 (1911) [redescr.]; *id.* Lep. Indo-austr. II 402 (1923)	

[NOTE.—*Malacosoma*, Hubner 1822, equivalent to *Dipharia*, Rambur 1866, both having *lobi*, Ochs., as genotype, is apparently distinct from *Clisiocampa*.]

flavomarginata, Poujade.

Bombyx flavomarginata, Pouj., Bull. S. E. Fr. (6) VI. p. xcii (1886).[1]	Moupin.[1]
Malacosoma (flavomarginata), Kirby, Cat. Het. I 819 (1892)[2]; Leech, T. E. S. 1899, 117 (1899).[3]	

indica, Walker.

Clisiocampa indica, Wlk., Cat. VI 1489 (1855)[1], Hmpsn., F. I. Moths I 417, f. 288 (1892) [redescr.].[2]	Simla.[2] Dehra Dun.[2] Muktesar (Kumaon; 7,000 ft.).
Malacosoma indica, Grunberg, Seitz Lep. Indo-austr. II 402, t. 33 f. *a* (1923) [redescr.].[3]	

testacea, Motschulsky.

Clisiocampa testacea, Mots., Et. Ent. IX 32 (1860).[1]	Fu-tsu-long.[2]
Clisiocampa neustria, [nec Linn.], Leech, T. E. S. 1899, 111 (1899)[2]; Grünberg, Seitz Lep. Pal. II 150-151, t. 24 f. *b* (1911).[3]	N. C. and W. China.[2] Japan.[1, 2] Korea.[2] Amur.[4]

vulpes, Hampson.

Clisiocampa vulpes, Hmpsn., B. J. XIII 233, t. B f. 26 (1900).[1]	Chitral (10,000 ft.).[1]
Malacosoma vulpes, Grunberg, Seitz Lep. Indo-austr. II 402 (1923) [redescr.].[2]	

13. Alompra, Moore (1872)

Alompra, Mo. P. Z. S. 1872, 779 (1872). Type: *ferruginea*, Mo. Hampsn., F. I. Moths I. 417-418 (1892) [redescr.]; Grünberg, Seitz Lep. Indoaustr. II 102 (1923) [redescr.]

ferruginea, Moore.

Alompra ferruginea, Mo. P. Z. S. 1872, 780, t. 34 f. 8 (1872); Hampsn., F. I. Moths I. 418, t. 2[illegible] (male, not female as stated) (1892) [redescr.]; Distant, B. J. XIII 109 (1901) [female descr.]; Hampsn., B. J. XX 111 (1910) [male descr.]; Grünberg, Seitz Lep. Indoaustr. II 102, t. 151 d (1923) [redescr.]
Teropina pulcra, Cotes, Rept. Lab. Et. Soc. XIII 21, t. 5 f. 1 (1897); Hampsn., B. J. XX 111 (1910) [syn. of *ferruginea*]; Grünberg, Seitz Lep. Indoaustr. II 3[illegible] (1923) [redescr.]

Darjiling,[1] Sikkim (2,000 ft.),[2] Bhutan (2,000 ft.),[3] Assam.[4]

14. Kosala, Moore (1879)

Kosala, Mo. P. Z. S. 1879, 107 (1879). Type: *ferruginea*, Mo. Hampsn., F. I. Moths I. [illegible] (1892) [redescr.]; Grünberg, Seitz Lep. Indoaustr. II 102 (1923) [redescr.]

flavosignata, Moore.

Eustrotia flavosignata, Mo., Lep. Ceylon I. 176, pp. 77-78, t. 4 f. 17 (1887).
Kosala flavosignata, Hampsn., F. I. Moths I. 419 (1892) [redescr.]; Grünberg, Seitz Lep. Indoaustr. II 102, t. 151 f. d (1923) [redescr.]

Darjiling.[1]

modulata, Swinhoe.

Eustrotia modulata, Swinh., T. E. S. Bomb.[2] 1903, 197, t. 9 f. 28 (1903).

Kosala modulata, Hmpsn. F. I. Moths I 419, f. 290 (1892) [redescr.][2], Grunberg, Seitz Lep. Indo-austr II 403, t. 35 f. *d* [as *undulata*] (1923) [redescr.].[3]

rufa, Hampson.

Kosala rufa, Hmpsn., F. I Moths I 419 (1892)[1], Grünberg, Seitz Lep Indo-austr. II 403 (1923) [redescr].[2] — Nagas [1 2]

sanguinea, Moore.

Kosala sanguinea, Mo., P Z. S 1879, 408, t. 33 f. 8 (1879)[1]; Hmpsn., F I Moths I 418 (1892) [redescr.][2], Swinh, T. E. S. 1895, 28 (1895)[3]; Leech, T. E. S. 1899, 112 (1899)[4]; Elwes, B J XIII 409 (1901)[5]; Grunberg, Seitz Lep. Indo-austr. II 403, t 35 f. *d* (1923) [redescr.].[6] — Khasis.[1 2 5 6] Cherrapunji.[3] Sikkim.[2 6] Darjiling.[5] Omei-shan.[4]

15. **Trichiura, Stephens** (1828).

Trichiura, Steph., Ill. Brit. Ent., Haust. II 42 (1828), Wlk., Cat. VI 1479 (1855); Rambur, Cat. Lép. Andal., p 360 (1866); Hmpsn., F. I. Moths I 420 (1892) [redescr.]; Grünberg, Seitz Lep. Pal. II 152 (1911) [redescr]; *id.*, Lep. Indo-austr. II 103 (1923) [redescr.]. — Type. *crataegi*, Linn. [Europe].

khasiana, Moore.

Trichiura khasiana, Mo, Lep. Atk. p. 82, t. 3 f. 21 (1879)[1]; Hmpsn., F. I. Moths I. 429, f 291 (1892) [redescr.][2]. Swinh., T. E. S. 1895, 28; (1895)[3]; Elwes, B. J. XIII 409 (1901)[4]; Grünberg, Seitz Lep. Indo-austr. II 403, t. 35 f. *e* (1923) [redescr.].[5] — Khasis.[1 2 5] Cherrapunji.[3] Sikkim.[2 5] Darjiling.[4]

[illegible]

[illegible]rrata, Moore.

[illegible]

[illegible] **Trabala, Walker** [illegible]

[illegible] Walk. List [illegible] Trabala, Walk. [illegible] VII [illegible] Ceylon II [illegible] Moths I 421 [illegible] Supp. Lep. Pt. II 167 [illegible] (1911) [illegible] Lep. Indo-aust. II [illegible] (1923).

irrorata, Moore.

Trabala irrorata Mo. T. E. S. 1881, 373 Tavoy.* (1881), id., J. A. S. B. LIII 205 Mergui.* (1883),* id., J. Linn. Soc. XXI 55 (1886)* Hupen F. I. Moths I 422 Java.* (1892) [indecr.]*, Grunberg, Seitz Insecten 13 Lep. Indo-aust. II 493, t. 33 f. d (1923) [indecr.].*

vischnou, Lefebvre.

Gastropacha vischnou, Lef., Zool. Journ. III 267 (1827) Throughout India, Burma and Ceylon.

[? *Bombyx lobiscu* Fabr., Syst. Ent. p. 564 (1775), Kirby, Cat. Het. I 825 Java.* (1892) (East Indies)].

Gastropacha sulphurea, Kollar, Hugel's Kaschmir IV 471 (1848)[2] — Chinn.[3 4 7 10]

Amydona basalis, Wlk., Cat. VI 1415 (1855)[3]

Amydona pusina, Wlk., Cat. VI 1417 (1855)[4]

Amydona pallida, Wlk., Cat. VI 1417 (1855)[5]

Trabala mahananda, Mo., P. Z. S. 1865, 621 (1865)[6]

Trabala vishnou Hmpsn. F. I. Moths I 121-122, f. 293 (1892) [redescr.][7], Mo., Lep. Ceylon II 146, t. 138 ff. 1, 1a, 1b, 2, 2a, 2b (1883)[8]; Hmpsn., Ill. Het. IX 9 (1893)[9], Swinh., T. E. S. 1895, 28 (1895)[9]; Leech, T. E. S. 1899, 113 (1899)[10], Dudgeon, B. J. XIII 410 (1901)[11]; Lefroy, Ind. Ins. Life, p. 498, tab. 66 (1909)[12], Fletcher, Rept. Second Entl. Meeting, pp. 87, 216 (1917)[13], *id.*, Rept. Third Entl. Meeting, I 103 (1919)[14]

Trabala vishnou, Kirby, Cat. Het. I 825 (1892) [*vishnou*, err. typogr.][15], Grünberg, Seitz Lep. Pal. II 166, t. 27 f. *a* (1911) [larva descr.][16], *id.*, Lep. Indo-austr. II 403, t. 35 ff. *e* (1923)[17]

Larva descr.[7 8 12], on *Polygonum orientale*[11], *Rhamnus communis*,[12 13 14], *Eugenia jambolana*[12], *Shorea robusta*[12], *Terminalia catappa*[12], cultivated Geranium[14] and rose[14], *Quisqualis*[14], etc.

18. Lenodora, Moore (1883).

Lenodora, Mo., Lep. Ceylon II 144-145 (1883); Hmpsn., F. I. Moths I 422-423 (1892) [redescr.], Grünberg, Seitz Lep. Indo-austr. II 404 (1923) [redescr.]. — Type: *vittata*, Wlk.

crenata, Hampson.

Lenodora crenata, Hmpsn., B. J. XIII 233 (1900)[1]; Hmpsn., B. J. XVI 197 (1905) [male descr.][2]; Grunberg, Seitz Lep. Indo-austr. II 404, t. 33 f. *g* (1923) [redescr.].[3]	Horton Plains (Ceylon).[1 2]

hyalomelæna, Hampson.

Lenodora hyalomelæna, Hmpsn., B. J. XVI 197, t. D, f. 9 (1905)[1]; Grunberg, Seitz Lep. Indo-austr. II 404, t. 46 f. *b* (1923) [redescr.].[3]	Palnis (7,000 ft.).

pallidochrea, Hampson.

Lenodora pallidochrea, Hmpsn., F. I. Moths IV 187 (1896)[1], Grünberg, Seitz Lep. Indo-austr. II 404, t. 46 f. *a* (1923) [redescr.].[3]	Khasia.[1 3]

semihyalina, Swinhoe.

Lenodora semihyalina, Swinh., T. E. S. 1890, 196, t. 6 ff. 10, 16 (1890)[1], Hmpsn., F. I. Moths I 421 (1892) [redescr.][2]; Grünberg, Seitz Lep. Indo-austr. II 404, t. 35 [as *semihyalinata*] (1923) [redescr.].[3]	Nagas.[2 3] Rangoon.[2] Bassein.[2] E. Pegu.[2]

signata, Moore.

Lenodora signata, Mo., T. E. S. 1884, 374 (1884)[1], Hmpsn., F. I. Moths I 423-424 (1892) [redescr.][2]; Grünberg, Seitz Lep. Indo-austr. II 404, t. 35 f. *f* [form *fusca*] (1923) [redescr.].[3]	Bengal.[1] Dehra Dun.[2] Bombay.[2 5] Nilgiris.[2 5]
Lenodora fasciata, Mo., T. E. S. 1884, 374 (1884)[4]; Hmpsn., Ill. Het. VIII 65, t. 142 f. 6 (1891).[5]	
Lenodora fusca, Mo., T. E. S. 1884, 374 (1884).[6]	

vittata, Walker.

Lassocampa vittata, Wlk., Cat VI 1440 (1855) [N India].[1]	Almora.[2] Raipur (C. P.)
Miresa ? subcostalis, Wlk., Cat XXXII 476 (1865).[2]	Throughout South India.[3] Ceylon [2 3 4]
Lanodora subcostalis, Mo., Lep Ceylon II 145, t. 137, ff 3, 3*a*, 3*b* (1883) [3]	Colombo.[5] Kandy [5]
Lanodora vittata, Hmpsn., F I Moths I 423, f 291 (1892) [redescr.][4], *id.*, Ill Her IX 73, t. 161 ff. 1, 11 (1893) [redescr.][5]; Grunberg Seitz Lep. Indo-austr II 404, t. 35 f *f* (1923) [redescr.][6]	Pundaluoya.[5] Peradeniya
Larra descr.[3 1 6], on Grammeae.[3 6]	

19. Estigena, Moore (1859).

Estigena, Mo., Cat Lep E. I Co Mus II 426 (1859), Mo., Lep. Ceylon II 148 149 (1883); Hmpsn., F I. Moths I 421 (1892) [redescr.]; Grunberg, Seitz Lep Pal. II 169-170 (1911), *id.*, Lep. Indo-austr. II 405 (1923) [redescr.]	Type *pardalis*, Wlk.

pardalis, Walker.

Megasoma pardale, Wlk., Cat. VI 1453 (1855).[1]	Throughout India and Ceylon.[7]
Estigena nandina, Mo., Cat Lep E. I Co. Mus. II 427 (1859)[2]; Mo., Lep. Ceylon II 149, t 142 ff. 1, 1*a* (1883) [3]	Masuri. Khatmandu. Sikkim.[8]
Gastropacha abstracta, Wlk., Cat. XXXII 551 (1865).[4]	Bhutan.[8] Saran.
Lebeda scripdiplaga, Wlk., Cat. XXXII 569 (1865).[5]	Pusa Nagas.[7]
Estigena pardalis, Mo., Cat. Lep E. I. Co Mus II 426, t. 13*a*, ff 1, 1*a* (1859)[6], Hmpsn., F. I. Moths I 424-425, f. 293 (1892) [redescr.][7], Dudgeon. B. J. XIII 410 (1901)[8], Grünberg, Seitz Lep Pal II 170, t. 27 f. *e* (1911)[9], *id.*, Lep. Indo-austr II 405, t. 35 f *f* (1923) [redescr.][10]	Burma.[10] Mergui [7] Andamans.[7] Pundaluoya.[11] Ceylon [4 5] Java [1 7 9] Arabia.

Estigena pardale Hmpsn., Ill. Het. IX 9 (1893).[11]

20. Odonestis, Germar (1811).

Odonestis, Germar Prodr. p. 19 (1811); Hmpsn., F. I. Moths I 425 (1892) [redescr.]; Grünberg, Seitz Lep. Indo-austr. II 407 (1923).	Type: *potatoria*, Linn. (Europe.)
Cosmotriche, Hübner, Verz. p. 188 (1822); Grünberg, Seitz Lep. Pal. II 163-164 (1911) [redescr.]; *id.*, Lep. Indo-austr. II 406 (1923) [part.].	Type: *potatoria*, Linn.
Chrostogastria, Hübner Verz. p. 189 (1822); Hmpsn., B. J. XX 111 (1910) [redescr.].	Type: *pruni*, Linn.
Odonestis, Wlk., Cat. VI 1409 (1855).	Type: *potatoria*, Linn.

castanea, Hampson.

Odonestis castanea, Hmpsn., F. I. Moths I 426 (1892)[1]; *id.*, B. J. XIII 410 (1901)[2]; Grünberg, Seitz Lep. Indo-austr. II 407, t. 32 f. b (1923) [redescr.] [*Cosmotriche*].[3]	Darjiling.[2] Sikkim.[1,3]

divisa, Moore.

Odonestis divisa, Moore, P. Z. S. 1879, 408 (1879)[1], *id.*, Lep. Ceylon II 150, t. 141 f. 2 (1883)[2]; Hmpsn., F. I. Moths I 426 (1892) [part.][3]; Elwes, B. J. XIII 410 (1901)[4]; Grunberg, Seitz Lep. Indo-austr. II 407, t. 32 f. a (1923) [redescr.].[5]	Sikkim.[2,4] Ceylon.[1,2,3] Sunda Isls.[3] China.[5] Japan.[5] Amur.[5]
.....*sulphurea*, Auriv.,	

fossa, Swinhoe.

Odonestis fossa, Swinh., A. M. N. H. (6) XIX 410 (1897)[1]; Hmpsn., B. J. XVI 198, t. D f. 14 (1905) [redescr.][2]; Grünberg, Seitz Lep. Indo-austr. II 408, t. 33 f. e (1923) [redescr.] [*Cosmotriche*].[3]	Jaintia Hills.[1-3]

mpsoni, Leech.

Odonestis hampsoni, Leech, T. E. S 1899, 115 (1899)[1]; Grünberg, Seitz Lep. Indo-austr. II 408 (1923) [redescr.] [*Cosmotriche*].[2] — Pu-tsu-fong.[1 2]

:yma, Hampson.

Odonestis isocyma, Hmpsn., F. I. Moths I 427 (1892)[1]; Grünberg, Seitz Lep. Indo-austr. II 407 (1923) [redescr.] [*Cosmotriche*].[2] — Nagas (6,000 ft.).[1]

a, Walker.

Amydona lata, Wlk., Cat. VI 1416 (1855)[1]; Mo., Cat. Lep. E. I. Co. Mus. II, t. 12*a* ff. 7, 7*a* (1859).[2] — N.-W. Himalaya.[3]; Sikkim.[3]; Sylhet.[1 3]

Odonestis lata, Hmpsn., F. I. Moths I 425-426, f. 296 (1892) [redescr.][3]; Leech, T. E. S. 1899, 114 (1899)[4]; Dudgeon, B. J. XIII 410 (1901)[5]. — Burma.[3]; Ta-tsien-lu.[11]; Chia-ting-fu.[11]

Cosmotriche lata, Grünberg, Seitz Lep. Pal. II 165, t. 26 f. *g* (1911)[6]; *id.*, Lep. Indo-austr. II 406-407, t. 32 f. *c* (1923) [redescr.].[7] — China.[4]; Korea.[4 6]; Japan.[4 6]; Siberia.[4 6]

Lasiocampa decisa, Wlk., Cat. VI 1441 (1855) [N. India][8], Elwes, B. J. XIII 410 (1901) [*Odonestis*; distinct from *lata*].[9] — Sumatra.[3 7]; Java.[3 7]

Lasiocampa inobtrusa, Wlk., T. E. S. (3) I 85 (1862)[10]; Leech, T. E. S. 1899, 114-115 (1899) [*Odonestis*; distinct from *lata*].[11]

Odonestis ossa, Swinh., A. M. N. H. (6) XIX 410 (1897)[12]; Hmpsn., B. J. XI 294 (1897) [syn. of *lata*].[13]

Larva descr.[3 6 7], on grasses.[5]

lidderdalii, Druce.

Odonestis lidderdalii Druce, A. M. N. H. (7) III 471 (1899)[1]; Hampsn., B. J. XIII 233 (1900) [male redescr.][2]; Grunberg, Seitz Lep. Indoaustr. II 408, t. 33 f. d (1923) [redescr.] [*Cosmotriche*].[3] — Darjiling.[1, 3]

pruni, Linnæus.

Bombyx pruni Linn., Syst. Nat. (ed. X) I 498 (1758)[1], Hübner, Bomb. t. [illegible] (1801 ?)[2] — Khasia[3]; Jammu[3]; Pa[illegible] Gage[4]

Odonestis pruni, Alph., Rom. Mém. IX 133 (1897)[3], Leech, T. E. S. [illegible] 117 (1898)[4], Hampsn., B. J. XX 111 (1910) [redescr.] [*Chrysogastra*][5]; Grunberg, Seitz Lep. Pal. II 170, t. 27 f. F (1911) [redescr.][6] — W. China[3, 4]; Japan[4, 5]; Amur.[4, 5]; B[illegible][6]; C. Europe[1, 6]

Larva descr.[6]

purpurascens, Hampson.

Estigena purpurascens, Hampsn., Ill. Het. IX 74, t. 166 f. 10 (1893)[1] — Kolam Valley[1, 2] (Pecker)

Odonestis ciliata, Hampsn., F. I. Moths I 426 (1892) [partim].[2]

Cosmotriche purpurascens, Grunberg, Seitz Lep. Indoaustr. II 407, t. 33 f. d (1923) [redescr.].[3]

pyriformis, Moore.

Odonestis pyriformis, Mo., P. Z. S. 1879, 408, t. 41 f. 7 (1879)[1], Hampsn., F. I. Moths I 427 (1892) [redescr.][2]; Dudgeon, B. J. XIII 411 (1901)[3]; Elwes, l. c.[4], Grunberg, Seitz Lep. Indoaustr. II 407, t. 32 f. B (1923) [redescr.] [*Cosmotriche*].[5] — Mussoori[1]; Tonglu (Sikkim, 10,000 ft.)[4]; Darjiling[3]; Sikkim (5,000 ft.).[4]

Larva descr.[2]

signata, Moore.

Odonachis signata, Mo., Lep. Atk. p. 76 (1879)[1], Hmpsn., F. I. Moths I 126 (1892) [redescr.][2]; Dudgeon, B. J. XIII 111 (1901)[3], Grünberg, Seitz Lep. Indo-austr. II 407, t. 32 f. B (1923) [redescr.] [*Cosmotriche*].[4]

Darjiling.[1 4]
Sikkim (1,000 ft.).[2]
Bhutan.[3]

urda, Swinhoe.

Odonachis urda, Swinh., A. M. N. H. (8) XVI 178 (1915).[1]

Khasis.[1]

31. Lasiocampa, Schrank (1802)

Lasiocampa, Schrank, Fauna Boica II (ii) 147, 154 (1802).

Type: *quercifolia*, Linn. [Europe].

Gastropacha, Ochsenheimer Schmett. III 239 (1810), Hmpsn., F. I. Moths I 128 (1892) [redescr.], Grünberg, Seitz Lep. Pal. II 168 (1911) [redescr.]; id., Lep. Indo-austr. II 406 (1923)

Type: *quercifolia*, L.

Phyllodesma, Hübner, Verz., p. 190 (1822).

Type: *quercifolia*, L.

divaricata, Moore.

Gastropacha divaricata, Mo., T. E. S. 1884, 374 (1884)[1]; Hmpsn., F. I. Moths I 429 (1892) [redescr.][2]; Grünberg, Seitz Lep. Indo-austr. II 406, t. 33 f. e (1923) [redescr.][3]

Darjiling.[1 3]

khasiana, Swinhoe.

Gastropacha khasiana, Swinh., A. M. N. H. (7) XV 199 (1905)[1], Hmpsn., B. J. XX 111-112 (1910) [male redescr.].[2]

Khasis.[1 2]

undulifera, Walker.

Gastropacha undulifera Wlk., Cat. VI 1395 (1855)[1], Hmpsn., F. I. Moths I 428, f. 297 (1892) [redescr.][2]; Grünberg, Seitz Lep. Indo-austr. II 406, t. 33 f. *c* (1923) [redescr.][3] — N. India.[1] Dharmsala.[2 3]

vitellius, Oberthur.

Lasiocampa vitellius, Obth., Et. Lep. Comp. V 337, t. 83 f. 785 (1911) ♂ — Tchang-kou (E. Tibet border).

22. **Stenophylloides, Hampson** (1892).

Stenophylloides, Hmpsn., F. I. Moths I 429, f. 298 (1892), Grünberg, Seitz Lep. Indo-austr. II 406 (1923) [redescr.] — Type: *sikkima*, Mo.

encausta, Hampson.

Stenophylloides encausta, Hmpsn., B. J. XIII 233-234 (1900)[1]; Grünberg, Seitz Lep. Indo-austr. II 406, t. 33 f. *G* [as *encrusta*] (1923) [redescr.][2] — Simla.[1 2]

sikkima, Moore.

Gastropacha sikkima, Mo., Lep. Atk. pp. 75-76 (1879)[1]. — Darjiling.[1 2 4]

Stenophylloides sikkima, Hmpsn., F. I. Moths I 429-430, f. 298 (1892) [redescr.][2]; *id.*, B. J. XIII 411 (1901)[3] Grünberg, Seitz Lep. Indo-austr. II 406, t. 32 f. *d* (1923) [redescr.].[4]

sinuata, Moore.

Gastropacha sinuata, Mo., Lep. Atk. p. 76 (1879)[1]; Hmpsn., F. I. Moths I 428-429 (1892) [redescr.].[2] — Darjiling.[1 2]

Stenophylloides sinuata, Grünberg, Seitz Lep. Indo-austr. II 406, t. 35 f. F (1923) [redescr.].[3]

---

75 species.

INDEX TO GENERA.

(NOTE.—The numbers refer to the numbers of the genera and not of the page. Names in italics are treated as synonyms.)

INDEX TO SPECIES.

NOTE.—Names in italics are treated as synonyms and should be looked up under the names given in roman letters. The generic name noted against each specific name is that of the genus in which the species is placed in the Catalogue. The specifics in the genus are placed in alphabetical order and the position of the genus is shown in the Index to Genera.

divaricata, Lasiocampa.
divisa, Odonestis
divisa (purpurescens), Odonestis
dorsalis, Taragama

encausta, Stenophylloides.
erectilinea, Arguda.
excellens (undans), Dendrolimus

fasciata (latipennis), Dendrolimus.
fasciata (signata), Lenodora.
fasciatella (undans), Dendrolimus.
ferruginea, Alompra.
ferruginea (ampla), Dendrolimus.
fia, Dendrolimus.
flammans, Bharetta
flavomarginata, Clisiocampa.
flavosignata, Kosala.
flavovittata, Arguda.
fossa, Odonestis
fulgens, Dendrolimus.
fusca (signata), Lenodora
fuscomarginata (lineata), Dendrolimus.

ganesa (siva), Taragama.
grisea (latipennis), Dendrolimus

hampsoni, Odonestis
hasora, Odontocraspis.
hibisci (visehnou), Trabala.
hyalomelæna, Lenodora.
hyperanthera (dorsalis), Taragama
hyrtaca, Dendrolimus.

ignifua (dorsalis), Taragama.
indica, Clisiocampa
indicus, *Taragama* (Alompra ferruginea)
inobtrusa (læta), Odonestis
intensa (dorsalis), Taragama.
irrorata, Trabala.
isocyma, Odonestis.

khasiana, Lasiocampa.
khasiana, Trichiura.

læta, Odonestis.
laricis (hyrtaca), Dendrolimus.
latipennis, Dendrolimus.
lidderdali, Odonestis.
lidderdalii, Dendrolimus.

lineata, Dendrolimus.
luxa (hyrtaca), Dendrolimus.

mahanada (visehnou), Trabala.
manco, Syrastrena.
modulata, Kosala.

nanda, Dendrolimus.
nandina (pardalis), Estigena.
nobilis, Labeda

obliquifascia, Dendrolimus
opposita (acronyta), Dendrolimus.
ossa (læta), Odonestis.

pallida (visehnou), Trabala.
pallidolinea, Lenodora.
pallidum (siva), Taragama
pardalis, Estigena
placida (latipennis), Dendrolimus.
plagiata (hyrtaca), Dendrolimus.
plagifera, Paralebeda.
pruinosa (visehnou), Trabala.
prum, Odonestis.
purpurascens, Odonestis.
pyriformis, Odonestis.

quadricincta (acronyta), Dendrolimus

recta, Dendrolimus.
rectilinea, Arguda.
repanda, Dendrolimus
rosea, Arguda.
rubra (subpurpurea), Dendrolimus.
rufa, Kosala.

sanguinea, Kosala.
scriptiplaga (pardalis), Estigena.
semihyalina, Lenodora.
signata, Lenodora.
signata, Odonestis.
sikkima, Stenophylloides.
similis, Chilena
sinuata, Stenophylloides.
siva, Taragama.
stigmata (lidderdalii), Dendrolimus
strigula, Chilena.
subcostalis (vittata), Lenodora.
subparallela (acronyta), Dendrolimus

subpurpurea, Dendrolimus.
substrigosa (aconyta), Dendrolimus.
sulphurea (divisa), Odonestis.
sulphurea (vischnou), Trabala

testacea, Chaiocampa
torrida, Cinocrospeda.
trifascia (aconyta), Dendrolimus.

undans, Dendrolimus.
undulifera, Lasiocampa
undulosa, Bhima.
uncolor, *excellens* (undans), Dendrolimus.
urda, Odonestis.

variegata (latipennis), Dendrolimus
venustum (siva), Taragama.
vinata, Arguda
vischnou, Trabala.
vischnou (vischnou), Trabala.
vishnu (vischnou), Trabala.
vitellius, Lasiocampa.
vitta, Dendrolimus.
vittata, Lenodora.
vulpes, Chaiocampa
vulpina (latipennis), Dendrolimus.

GIPC—M—IV-2 (89)—21-5-25—350.

CALCUTTA
GOVERNMENT OF INDIA PRESS
4, HASTINGS STREET